

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

ZWALUW CLEANER

Supercedes Date: 29-Apr-2021

Revision date 20-Dec-2022 Revision Number 2.01

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Name ZWALUW CLEANER

Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

None known

Recommended use Cleaning agent

1.3. Details of the supplier of the safety data sheet

Company Name

Uses advised against

Bostik Limited Common Rd ST16 3EH Stafford UK

Tel: +44 (1785) 27 26 25 Fax: +44 (1785) 25 72 36

E-mail address SDS.box-EU@bostik.com

1.4. Emergency telephone number

United Kingdom Bostik: +44 (1785) 272650

NHS: 111

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

| Aspiration hazard | Category 1 - (H304) |
|--|---------------------|
| Skin corrosion/irritation | Category 2 - (H315) |
| Specific target organ toxicity — single exposure | Category 3 - (H336) |
| Chronic aquatic toxicity | Category 2 - (H411) |
| Flammable liquids | Category 2 - (H225) |

2.2. Label elements

921-024-6

Contains Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclic, <5% n-hexane

United Kingdom - BE Page 1 / 12

Revision date 20-Dec-2022

Revision Number 2.01

ZWALUW CLEANER

Supercedes Date: 29-Apr-2021



Signal word

Danger

Hazard statements

H304 - May be fatal if swallowed and enters airways.

H315 - Causes skin irritation.

H336 - May cause drowsiness or dizziness.

H411 - Toxic to aquatic life with long lasting effects.

H225 - Highly flammable liquid and vapour.

Precautionary Statements - EU (§28, 1272/2008)

P101 - If medical advice is needed, have product container or label at hand

P102 - Keep out of reach of children

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

P301 + P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor

P331 - Do NOT induce vomiting

P405 - Store locked up

P501 - Dispose of contents as hazardous waste in accordance with local/regional/national/international regulations

Additional information

This product requires tactile warnings if supplied to the general public. This product requires child resistant fastenings if supplied to the general public.

2.3. Other hazards

May be harmful in contact with skin. Toxic to aquatic life.

PBT & vPvB

This mixture contains no substance considered to be persistent, bioaccumulating or toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

SECTION 3: Composition/information on ingredients

3.1 Substances

| Chemical name | EC No (EU Index No) | CAS No | Weight-% | Classification according to Regulation (EC) No. 1272/2008 [CLP] | Specific concentration limit (SCL) | REACH registration number |
|--|------------------------|-------------|----------|---|--|---------------------------------|
| Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclic, <5% n-hexane | 921-024-6 | RR-100221-7 | 80 - 100 | STOT SE 3 (H336) Asp. Tox. 1 (H304) Skin Irrit. 2 (H315) Aquatic Chronic 2 (H411) Flam Liq. 2 (H225) | - | 01-2119475514- 35-XXXX |

United Kingdom - BE Page 2 / 12

ZWALUW CLEANER

Supercedes Date: 29-Apr-2021

Full text of H- and EUH-phrases: see section 16

Note: ^ indicates not classified, however, the substance is listed in section 3 as it has an OEL

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice Show this safety data sheet to the doctor in attendance. Immediate medical attention is

required.

Inhalation Remove to fresh air. Aspiration into lungs can produce severe lung damage. If breathing

has stopped, give artificial respiration. Get medical attention immediately. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. If breathing is difficult, (trained personnel should) give oxygen. Get immediate medical attention.

Revision date 20-Dec-2022

Revision Number 2.01

Delayed pulmonary edema may occur.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Keep eye wide open while rinsing. Do not rub affected area.

Skin contact Wash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes. Get medical attention if irritation develops and persists.

Ingestion Do NOT induce vomiting. Rinse mouth. Never give anything by mouth to an unconscious

person. ASPIRATION HAZARD IF SWALLOWED - CAN ENTER LUNGS AND CAUSE DAMAGE. If vomiting occurs spontaneously, keep head below hips to prevent aspiration.

Get immediate medical attention.

Self-protection of the first aider Remove all sources of ignition. Ensure that medical personnel are aware of the

material(s) involved, take precautions to protect themselves and prevent spread of contamination. Use personal protective equipment as required. See section 8 for more information. Avoid direct contact with skin. Use barrier to give mouth-to-mouth

resuscitation. Avoid contact with skin, eyes or clothing.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms Difficulty in breathing. Coughing and/ or wheezing. Dizziness. Inhalation of high vapour

concentrations may cause symptoms like headache, dizziness, tiredness, nausea and

vomiting.

4.3. Indication of any immediate medical attention and special treatment needed

Note to doctorsBecause of the danger of aspiration, emesis or gastric lavage should not be used unless

the risk is justified by the presence of additional toxic substances.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable Extinguishing Media Dry chemical. Carbon dioxide (CO2). Water spray. Alcohol resistant foam.

Unsuitable extinguishing media No information available.

5.2. Special hazards arising from the substance or mixture

United Kingdom - BE Page 3 / 12

ZWALUW CLEANER

Supercedes Date: 29-Apr-2021

Revision date 20-Dec-2022 Revision Number 2.01

Specific hazards arising from the

chemical

Risk of ignition. Keep product and empty container away from heat and sources of ignition. In the event of fire, cool tanks with water spray. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

Hazardous combustion products Carbon monoxide. Carbon dioxide (CO2).

5.3. Advice for firefighters

Special protective equipment and precautions for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Evacuate personnel to safe areas. Use personal protective equipment as required. See

section 8 for more information. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Pay attention to flashback. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Do not touch or walk through spilled

material.

Other information Ventilate the area. Refer to protective measures listed in Sections 7 and 8.

6.2. Environmental precautions

Environmental precautions Refer to protective measures listed in Sections 7 and 8. Prevent further leakage or

spillage if safe to do so. Prevent product from entering drains.

6.3. Methods and material for containment and cleaning up

Methods for containment Stop leak if you can do it without risk. Do not touch or walk through spilled material. A

vapour suppressing foam may be used to reduce vapours. Dyke far ahead of spill to collect run-off water. Keep out of drains, sewers, ditches and waterways. Absorb with earth, sand or other non-combustible material and transfer to containers for later

disposal.

Methods for cleaning up Take precautionary measures against static discharges. Dam up. Soak up with inert

absorbent material. Pick up and transfer to properly labelled containers.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Reference to other sections See section 8 for more information. See section 13 for more information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Use grounding and bonding connection when transferring this material to prevent static discharge, fire or explosion. Use with local exhaust ventilation. Use spark-proof tools and explosion-proof equipment. Keep in an area equipped with sprinklers. Use according to package label instructions. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash it before reuse. In case of

insufficient ventilation, wear suitable respiratory equipment.

United Kingdom - BE Page 4 / 12

ZWALUW CLEANER

Supercedes Date: 29-Apr-2021

Revision date 20-Dec-2022 Revision Number 2.01

General hygiene considerations

Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Wear suitable gloves and eye/face protection.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep in properly labelled containers. Do not store near combustible materials. Keep in an area equipped with sprinklers. Store in accordance with the particular national regulations. Store in accordance with local regulations. Store locked up. Keep out of the reach of children. Store away from other materials.

7.3. Specific end use(s)

Specific use(s)

Cleaning agent.

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

Other information Observe technical data sheet.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure Limits

| Chemical name | European Union | Ireland | United Kingdom |
|----------------------------------|---|---------|----------------|
| Hydrocarbons, C6-C7, n-alkanes, | DNEL (Ind/Prof) | - | - |
| isoalkanes, cyclic, <5% n-hexane | 773 mg/Kg bw/day (dermal) | | |
| RR-100221-7 | 2035 mg/m ³ /8h (inhalation) | | |

Derived No Effect Level (DNEL) No information available

| Derived No Effect Level (DNEL) | Derived No Effect Level (DNEL) | | | |
|--|--|--------------------------------|---------------|--|
| Hydrocarbons, C6-C7, n-alkanes, | Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclic, <5% n-hexane (RR-100221-7) | | | |
| Туре | Exposure route | Derived No Effect Level (DNEL) | Safety factor | |
| Long term Systemic health effects worker DNEL | Inhalation | 2035 mg/m³ | | |
| Long term Systemic health effects worker DNEL | Dermal | 773 mg/kg bw/d | | |

| Derived No Effect Level (DNEL) | | | | |
|---------------------------------|--|-------------------------|---------------|--|
| Hydrocarbons, C6-C7, n-alkanes, | Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclic, <5% n-hexane (RR-100221-7) | | | |
| Туре | Exposure route | Derived No Effect Level | Safety factor | |
| | | (DNEL) | | |
| Consumer | Dermal | 699 mg/kg bw/d | | |
| Long term | | | | |
| Systemic health effects | | | | |
| Consumer | Inhalation | 608 mg/m ³ | | |
| Long term | | | | |

United Kingdom - BE Page 5 / 12

ZWALUW CLEANER

Supercedes Date: 29-Apr-2021

Revision date 20-Dec-2022

Revision Number 2.01

| | | | |
|-------------------------|-------------|----------------|--|
| Systemic health effects | | | |
| Consumer | Oral | 699 mg/kg bw/d | |
| Long term | | | |
| Systemic health effects | | | |

Predicted No Effect Concentration No information available. **(PNEC)**

8.2. Exposure controls

Engineering controls Ensure adequate ventilation, especially in confined areas. Vapours/aerosols must be

exhausted directly at the point of origin.

Personal protective equipment

Eye/face protection Skin and body protectionTight sealing safety goggles.
Suitable protective clothing.

Environmental exposure controls No information available.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Liquid Appearance Liquid

ColourClear, colourlessOdourCharacteristic.

Odour threshold No information available

Property Values Remarks • Method

Melting point / freezing point< -20 °C</th>None knownInitial boiling point and boiling60 °CNone known

range

Flammability Not applicable for liquids . None known Flammability Limit in Air None known

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

Flash point > 0 °C None known
Autoignition temperature No data available None known
Decomposition temperature 367 °C None known
PH No data available None known
pH (as aqueous solution) No data available None known

pH (as aqueous solution)

No data available

None known

No data available

None known

None known

None known

None known

None known

Water solubility Insoluble in water. None known Solubility(ies) No data available None known Partition coefficient No data available None known Vapour pressure No data available None known Relative density No data available None known

Bulk Density

No data available

No data available

Density

0.71 g/cm³

Relative vapour density No data available None known

Particle characteristics

Particle SizeNo information availableParticle Size DistributionNo information available

9.2. Other information

Solid content (%) No information available

VOC content No data available

United Kingdom - BE Page 6 / 12

ZWALUW CLEANER

Revision date 20-Dec-2022

Revision Number 2.01

9.2.1. Information with regards to physical hazard classes

Not applicable

9.2.2. Other safety characteristics

Supercedes Date: 29-Apr-2021

No information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity No information available.

10.2. Chemical stability

Stability Stable under normal conditions.

Explosion data

Sensitivity to mechanical

None.

impact

Sensitivity to static discharge Yes.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

10.4. Conditions to avoid

Conditions to avoid Heat, flames and sparks.

10.5. Incompatible materials

Incompatible materials Strong acids. Strong bases. Strong oxidising agents.

10.6. Hazardous decomposition products

Hazardous decomposition

products

None under normal use conditions. Stable under recommended storage conditions.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure

Product Information

Inhalation Specific test data for the substance or mixture is not available. Aspiration into lungs can

produce severe lung damage. May cause pulmonary edema. Pulmonary edema can be fatal. May cause irritation of respiratory tract. May cause drowsiness or dizziness.

Eye contact Specific test data for the substance or mixture is not available. May cause irritation.

Skin contact Repeated exposure may cause skin dryness or cracking. Specific test data for the

substance or mixture is not available. Causes skin irritation. (based on components).

Ingestion Specific test data for the substance or mixture is not available. Potential for aspiration if

swallowed. May cause lung damage if swallowed. Aspiration may cause pulmonary edema and pneumonitis. May be fatal if swallowed and enters airways. Ingestion may

cause gastrointestinal irritation, nausea, vomiting and diarrhoea.

United Kingdom - BE Page 7 / 12

ZWALUW CLEANER

Supercedes Date: 29-Apr-2021

_

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Difficulty in breathing. Coughing and/ or wheezing. Dizziness. Redness. May cause

redness and tearing of the eyes. Inhalation of high vapour concentrations may cause

Revision date 20-Dec-2022

Revision Number 2.01

symptoms like headache, dizziness, tiredness, nausea and vomiting.

Acute toxicity

Based on available data, the classification criteria are not met

Numerical measures of toxicity

| Chemical name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|--------------------------------|---------------------------|-----------------------|------------------------------------|
| Hydrocarbons, C6-C7, | LD50 >5840 mg/kg (Rattus) | LD50 >2800-3100 mg/kg | LD50 (4h) >25200 mg/m ³ |
| n-alkanes, isoalkanes, cyclic, | | (Rattus) | LD50 (4h) >20 mg/l (rattus) v |
| <5% n-hexane | | | - |

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Classification based on data available for ingredients. Irritating to skin.

Serious eye damage/eye irritation Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT - single exposure May cause drowsiness or dizziness.

STOT - repeated exposureBased on available data, the classification criteria are not met.

Aspiration hazard May be fatal if swallowed and enters airways.

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

Endocrine disrupting properties No information available.

11.2.2. Other information

Other adverse effects No information available.

SECTION 12: Ecological information

United Kingdom - BE Page 8 / 12

ZWALUW CLEANER

Supercedes Date: 29-Apr-2021

Revision date 20-Dec-2022

Revision Number 2.01

12.1. Toxicity

Ecotoxicity Toxic to aquatic life. Toxic to aquatic life with long lasting effects.

| Chemical name | Algae/aquatic | Fish | Toxicity to | Crustacea | M-Factor | M-Factor |
|------------------------|--------------------|----------------|----------------|-------------|----------|-------------|
| | plants | | microorganisms | | | (long-term) |
| Hydrocarbons, C6-C7, | EL50 (72h)= 26 | LL50 (96h) =12 | - | EL50 (48h) | | |
| n-alkanes, isoalkanes, | mg/L | mg/L | | =3mg/L | | |
| cyclic, <5% n-hexane | (Pseudokirchner | (Oncorhynchus | | (Daphnia | | |
| RR-100221-7 | iella subcapitata) | mykiss) OECD | | magna) OECD | | |
| | OECD 201 | 203 | | 202 | | |

12.2. Persistence and degradability

Persistence and degradability No information available.

Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclic, <5% n-hexane (RR-100221-7)

| Method | Exposure time | Value | Results |
|------------------------------|---------------|-------|-----------------------|
| OECD Test No. 301F: Ready | 28 days | 98% | Readily biodegradable |
| Biodegradability: Manometric | | | |
| Respirometry Test (TG 301 F) | | | |

12.3. Bioaccumulative potential

Bioaccumulation There is no data for this product.

Component Information

| Chemical name | Partition coefficient |
|---|-----------------------|
| Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclic, <5% | 4 |
| n-hexane | |

12.4. Mobility in soil

No information available. Mobility in soil

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment No information available.

12.6. Endocrine disrupting properties

Endocrine disrupting properties No information available.

12.7. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused products

Should not be released into the environment. Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging

Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld containers.

United Kingdom - BE Page 9/12

ZWALUW CLEANER

Supercedes Date: 29-Apr-2021

Revision date 20-Dec-2022

Revision Number 2.01

Other information Waste codes should be assigned by the user based on the application for which the

product was used.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1 UN number or ID number UN3295

14.2 Proper Shipping Name Hydrocarbons, liquid, n.o.s

14.3 Transport hazard class(es) 3 Labels 3 14.4 Packing group || |

Description UN3295, Hydrocarbons, liquid, n.o.s, 3, II, (D/E), Environmentally Hazardous

14.5 Environmental hazards
14.6 Special Provisions 640C
Classification code F1
Tunnel restriction code
Limited quantity (LQ) 1 L
ADR Hazard Id (Kemmler 33

Number)

IMDG

14.1 UN number or ID number UN3295

14.2 Proper Shipping Name Hydrocarbons, liquid, n.o.s (Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclic, <5%

n-hexane)

14.3 Transport hazard class(es) 3

14.4 Packing group

Description UN3295, Hydrocarbons, liquid, n.o.s (Hydrocarbons, C6-C7, n-alkanes, isoalkanes,

cyclic, <5% n-hexane), 3, II, (0°C c.c.), Marine Pollutant

14.5 Marine pollutant
P
14.6 Special Provisions
Limited Quantity (LQ)
EmS-No
F-E, S-D
Not applicable

according to IMO instruments

Air transport (ICAO-TI / IATA-DGR)

14.1 UN number or ID number UN3295

14.2 Proper Shipping Name Hydrocarbons, liquid, n.o.s

14.3 Transport hazard class(es)14.4 Packing group

Description UN3295, Hydrocarbons, liquid, n.o.s, 3, II

14.5 Environmental hazards
14.6 Special Provisions
Limited quantity (LQ)
ERG Code

Yes
A325, A3
1 L

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European Union

Registration, Evaluation, Authorization, and Restriction of Chemicals (REACh) Regulation (EC 1907/2006)

SVHC: Substances of Very High Concern for Authorisation:

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

United Kingdom - BE Page 10 / 12

ZWALUW CLEANER

Supercedes Date: 29-Apr-2021

Revision date 20-Dec-2022 Revision Number 2.01

EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction

This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

Substance subject to authorisation per REACH Annex XIV

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

Dangerous substance category per Seveso Directive (2012/18/EU)

P5a - FLAMMABLE LIQUIDS P5b - FLAMMABLE LIQUIDS P5c - FLAMMABLE LIQUIDS

E2 - Hazardous to the Aquatic Environment in Category Chronic 2

Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

Persistent Organic Pollutants

Not applicable

Regulation (EC) No. 648/2004 (Detergents regulation)

Labelling for contents according to regulation (EC) No. 648/2004

| aliphatic hydrocarbons | >30% |
|------------------------|------|
| | |

National regulations

15.2. Chemical safety assessment

Chemical Safety Assessments have been carried out by the Reach registrants for substances registered at >10 tpa. No Chemical Safety Assessment has been carried out for this mixture

SECTION 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of H-Statements referred to under section 3

H225 - Highly flammable liquid and vapour

H304 - May be fatal if swallowed and enters airways

H315 - Causes skin irritation

H336 - May cause drowsiness or dizziness

H411 - Toxic to aquatic life with long lasting effects

Legend

TWA TWA (time-weighted average)
STEL STEL (Short Term Exposure Limit)

Ceiling Ceiling Limit Value
* Skin designation

SVHC Substance(s) of Very High Concern

PBT Persistent, Bioaccumulative, and Toxic (PBT) Chemicals vPvB Very Persistent and very Bioaccumulative (vPvB) Chemicals

STOT RE Specific target organ toxicity - Repeated exposure STOT SE Specific target organ toxicity - Single exposure

EWC European Waste Catalogue

ADR European Agreement concerning the International Carriage of Dangerous Goods by

United Kingdom - BE Page 11 / 12

ZWALUW CLEANER

Supercedes Date: 29-Apr-2021

Revision date 20-Dec-2022

Revision Number 2.01

Road -

IMDG International Maritime Dangerous Goods (IMDG)
IATA International Air Transport Association (IATA)

RID Regulations concerning the International Transport of Dangerous Goods by Rail

Key literature references and sources for data

No information available

Prepared By Product Safety & Regulatory Affairs

Revision date 20-Dec-2022

Indication of changes

Revision note Not applicable.

Training Advice No information available

Further information No information available

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet

United Kingdom - BE Page 12 / 12